
North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☒ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☐ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Absolute Coatings, Inc.

Product Name: Antique Natural Tungoil Fast Dry Seal (DISCONTINUED)

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. Standard must be consulted for specific requirement.

Product Name: Antique Natural Tungoil Fast Dry Seal
 Manufacturer: Absolute Coatings, Inc.
 Name: 38 Portman Road
 Address: New Rochelle, NY 10801
 City, State, Zip: 914-636-0700
 Emergency Telephone:

QUICK IDENTIFIER

Health	2	Reactivity	0
Flammability	3	Protective Equipment	G

Prepared By: *Mike Lazar*
 Date: 2000

SECTION II HAZARDOUS INGREDIENTS

Hazardous Components (chemical & common names).

Chemical	Common	OSHA PEL	ACGIH TLV	Other Expo-Sure Limits	% optional	CAS NO.
Aliphatic Hydro Carbon	Exempt Mineral Spirits	500	100			64741-41-9
Gilsonite		N/A	N/A			12002436

SECTION III PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point (*F)	312-365
Melting Point (*F)	N/A
Vapor Pressure (mm Hg)	3.9 PSIA @163°
Vapor Density.	5.00
Reactivity in Water.	None.
Solubility in Water.	Negligible
Appearance and Odor:	Clear and Characterstic.
Specific Gravity (H2O)=1).	0.8377

SECTION IV FIRE & EXPLOSION DATA

Flash Point (*F)	108
Method Used:	TCC
Flammable Limits in Air % by Volume	
LEL Lower.	0.77
UEL Upper	6
Auto Ignition Temperature.	
Extinguisher Media:	Foam, CO2, Dry Chemical, Sand
Special Firefighting Procedures	Use of Self Contained Breathing Apparatus is recommended for fire fighters. Avoid spreading burning liquid with water for cooling purposes
Unusual Fire and Explosion Hazards.	Keep work areas free of hot metal surfaces and other sources of ignition. COMBUSTIBLE.

SECTION V PHYSICAL HAZARDS (REACTIVITY DATA)

Stability:	Stable under normal storage and use.
Conditions to avoid:	Heat, sparks, open flame and fire.
Incompatibility (Materials To Avoid):	Strong oxidizing agents like bleach, hydrogen peroxide. Prevent contact with zinc, magnesium and galvanized metals.
Hazardous Decomposition Products:	Thermal decomp. may yield carbon monoxide
Hazardous Polymerization:	Will not occur.

SECTION VI HEALTH HAZARDS

Effects of over-exposure:

Eye Contact:	May cause severe irritation
Inhalation:	Excessive inhalation may cause headache, dizziness, & nausea. May cause irritation to nose, throat or lungs.
Skin:	May cause irritation.
Ingestion:	May be harmful if swallowed. Irritation of the mouth, pharynx, esophagus and stomach may develop following ingestion.

Medical conditions generally aggravated by exposure.

None Known.

Carcinogens / Potential Carcinogens

None

National Toxicology Program:

No.

I.A.R.C. Monographs:

No.

OSHA

No.

Emergency and First Aid Procedures:

Splash (eyes): Flush immediately with copious quantities of running water for at least 15 minutes. Consult physician. Splash (skin): Wash affected areas with soap and water. Ingestion **DO NOT INDUCE VOMITING**. Give one or two glasses of water to drink and refer to medical personnel or take directions from physician or poison control center. Never give anything by mouth to an unconscious person. Inhalation: Remove to fresh air.

SECTION VII SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions To Be Taken In Handling And Storage:

Keep away from heat, spark, open flame. Use with adequate ventilation. Avoid prolonged or repeated contact.

Other Precautions:

Face and hand protection recommended.

Steps To Be Taken In Case Material Is Released Or Spilled:

Avoid exposure to sparks/fire/hot metal. Provide ventilation & respiratory protection if required.

Waste Disposal Methods:

Incinerate under safe conditions or dispose of in accordance with local, state and federal regulations.

(Consult federal, state and local regulations)

SECTION VIII SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection (specify type)	Self contained breathing apparatus for concentration above TLV.
Ventilation:	Yes.
Local Exhaust:	Yes.
Mechanical (General):	Yes.
Protective Gloves:	Chemical resistant or plastic.
Eye Protection:	Safety goggles.
Other Protective Clothing Or Equipment:	Eye bath and safety shower. Apron if necessary.
Work/Hygienic Practices	This product should not be swallowed or allowed to come in contact with eyes.